



Thermal Network Mini Hybrid Bullet Camera V2.630.0000000.10.R.210707 Release Notes



Legal Information

Copyright

© 2021 ZHEJIANG DAHUA VISION TECHNOLOGY CO., LTD. All rights reserved.

This document cannot be copied, transferred, distributed, or saved in any form without the prior written permission of Zhejiang Dahua Vision Technology Co., LTD (hereinafter referred to as "Dahua").

The products described in this document may contain the software that belongs to Dahua or the third party. Without the prior written approval of the corresponding party, any person cannot (including but not limited to) copy, distribute, amend, abstract, reverse compile, decode, reverse engineer, rent, transfer, sublicense the software.

Trademarks

, , , and **HDCVI** are the trademarks or registered trademarks of Dahua.

All other company names and trademarks mentioned herein are the properties of their respective owners.

Disclaimer

- These release notes are for reference only, and the actual product shall prevail.
- Succeeding products and release notes are subject to change without notice.
- If there is any uncertainty or controversy, please refer to our final explanation.

Table of Contents

Legal Information	I
Release Notes	1
1.1 Overview	1
1.2 New Features	1
1.3 Fixed Bugs	1
1.4 New Feature Details.....	1
1.5 Compatibility.....	2
1.5.1 Program	2
1.5.2 Browser	2
1.5.3 Third Party Access	2
1.6 Software Environment.....	2
1.7 Pending Issues.....	3
1.8 Update Guide	3

Release Notes

1.1 Overview

Item	Description
Product model	Thermal Network Mini Hybrid Bullet Camera
Version	V2.630.0000000.10.R.210707
Software package information	DH_TPC-BF2221-TB_MultiLang_NP_V2.630.0000000.10.R.210707.zip DH_TPC-BF2221-TB_MultiLang_PN_V2.630.0000000.10.R.210707.zip
OS requirement	None
Release date	July 7, 2021

1.2 New Features

Feature	Description
None	None

1.3 Fixed Bugs

Bugs	Description
Improves the product performance	This version fixes some bugs, improves the product performance, and strengthens product security on the basis of the last version. It does not update the functions. For instructions on product functions, refer to previously published materials.

1.4 New Feature Details

None.

1.5 Compatibility

1.5.1 Program

- V2.630.0000000.10.R.210707 revision edition:
DH_TPC-BF2221-TB_MultiLang_NP_V2.630.0000000.10.R.210707.zip
DH_TPC-BF2221-TB_MultiLang_PN_V2.630.0000000.10.R.210707.zip

1.5.2 Browser

IE9\IE10\IE11\Firefox\Chrome (Use Chrome under V42, and Firefox under V52)

1.5.3 Third Party Access

- CGI testing tool version: V3.01.5.R
- ONVIF testing tool version: V18.06
- ONVIF: Supports ProfileS/G
- MILESTONE testing tool version: Xprotect Corporate 2018,device pack 9.6a
- GENETEC testing tool version: Security Desk 5.7 GA

1.6 Software Environment

Category	Model	Version
NVR	NVR4416-16P-4K S2	DH_NVR4XXX-4KS2_Chn_V4.000.0000001.5.R.191218.zip
	NVR5832-16P-4K S2	DH_NVR5XXX-4KS2_Chn_V4.000.0000001.5.R.20191218.zip
Client	DMSS	<ul style="list-style-type: none"> • IOS: Download the latest version in app Store • Android: V4.91.000 Google downloaded the latest version in app store.
Tool	ConfigTool	General_ConfigTool_ChnEng_V4.011.0000003.5.R.20190722.zip
	SmartPSS	General_SMARTPSS-Win64_ChnEng_IS_V2.003.0000001.0.R.191028.zip
Platform	DSS pro	General_DSS-PRO_Win64_IS_V7.002.0000003.0.R.20191008.exe
	DSS express	General_DSS-Express_win32_IS_V1.000.0000003.1.R.20190817.exe

1.7 Pending Issues

None.

1.8 Update Guide

- Step 1 Log in to the web.
- Step 2 Select Setting > System Management > Firmware Upgrade.
- Step 3 Click Import to select the bin update file, and then click Save.
- Step 4 Click Upgrade, and wait for the program upgrade to complete and restart.

During the upgrade process, make sure that the network is connected, the power supply is stable, and you cannot leave the upgrade interface..

ZHEJIANG DAHUA VISION TECHNOLOGY CO., LTD.

Address: No.1199, Bin'an Road, Binjiang District, Hangzhou, P.R. China

Postcode: 310053

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: overseas@dahuatech.com

Website: www.dahuasecurity.com